

Cement, Concrete, and Aggregates

Author Index

Volume 15, 1993

Number	Issue	Pages
1	Summer	3-96
2	Winter	97-192

A

Aitcin, P-C: *see* Chanvillard, G, Jones, JP, and Aitcin, P-C
 Al-Qadi, IL: *see* Weyers, RE, Brown, M, Al-Qadi, IL, and Henry, M

B

Boing, R: *see* Schmidt, M, Harr, K, and Boing, R
 Bollin, GE: Development of precision and bias statements for testing drilled cores in accordance with ASTM C 42, Summer, 85
 Brown, M: *see* Weyers, RE, Brown, M, Al-Qadi, IL, and Henry, M
 Burns, PC: *see* Kolos, RM and Burns, PC

C

Chanvillard, G, Jones, JP, and Aitcin, P-C: Evaluation of the statistical significance of a regression and selection of the best regression using the coefficient of determination R_2 , Summer, 31

D

Day, RL: Analysis of a Canadian database of mortar-cube strengths: the move toward a Canadian performance standard for portland cement, Winter, 128
 Detwiler, RJ and Fapohunda, CA: Comparison of two methods for measuring the chloride ion permeability of concrete, Summer, 70
 Dubovoy, VS: *see* Tresouthick, SW, Dubovoy, VS, and Gajda, JW
 Dutron, P: European (EN) and World (ISO) standards—comparison with ASTM standards, Winter, 145

E-F

Eldin, NN and Senouci, AB: Observations on rubberized concrete behavior, Summer, 74

Fapohunda, CA: *see* Detwiler, RJ and Fapohunda, CA
 Frohnsdorff, G: *see* Hill, ED, Jr. and Frohnsdorff, G

G

Gajda, JW: *see* Tresouthick, SW, Dubovoy, VS, and Gajda, JW
 Gaynor, RD: Cement strength and concrete strength—an apparition or a dichotomy?, Winter, 135
 Gebhardt, RF: Why performance standards for hydraulic cement?, Winter, 119
 Gifford, PM, Langan, BW, and Ward, MA: Use of fly ash in heat-cured concrete and the effect of post-curing storage regimes on strength, modulus of elasticity, and freezing-thawing durability, Summer, 14
 Gillott, JE: *see* Wang, H and Gillott, JE
 Guirguis, S: New cement standards in Australia—its implication and further development, Winter, 170

H

Harr, K: *see* Schmidt, M, Harr, K, and Boing, R
 Henry, M: *see* Weyers, RE, Brown, M, Al-Qadi, IL, and Henry, M
 Hill, ED, Jr. and Frohnsdorff, G: Portland cement specifications: performance, prescription, and prediction, Winter, 109

J

Jackson, PJ and Lawton, JM: International development of standards for cements, Winter, 149
 Johnston, CD: Effects of testing rate and age on ASTM C 1018 toughness parameters and their precision for steel fiber-reinforced concrete, Summer, 50
 Jones, JP: *see* Chanvillard, G, Jones, JP, and Aitcin, P-C

K-L

Kantha Rao, VVL and Krishnamoorthy, S: Aggregate mixtures for least-void content for use in polymer concrete, Winter, 97
 Kolos, RM and Burns, PC: Summary of the results of laboratory inspections conducted

by the Cement and Concrete Reference Laboratory, Winter, 174
 Krishnamoorthy, S: *see* Kantha Rao, VVL and Krishnamoorthy, S
 Langan, BW: *see* Gifford, PM, Langan, BW, and Ward, MA
 Lawton, JM: *see* Jackson, PJ and Lawton, JM

P


Patzias, T: Importance of precision statements in developing performance standards for cement, Winter, 124
 Pistilli, MF and Willems, T: Evaluation of cylinder size and capping method in compression strength testing of concrete, Summer, 59

S-T

Sanduo, T: Special features of cement standards in China, Winter, 165
 Schmidt, M, Harr, K, and Boing, R: Blended cement according to ENV 197 and experiences in Germany, Winter, 156
 Senouci, AB: *see* Eldin, NN and Senouci, AB
 Struble, LJ: Introduction to symposium on current trends in cement standards, Winter, 108
 Swamy, RN and Wan, WMR: Use of dynamic nondestructive test methods to monitor concrete deterioration due to alkali-silica reaction, Summer, 39
 Tresouthick, SW, Dubovoy, VS, and Gajda, JW: Mortar workability apparatus: a new approach, Summer, 89

W

Wan, WMR: *see* Swamy, RN and Wan, WMR
 Wang, H and Gillott, JE: Effect of three zeolite-containing natural pozzolanic materials on alkali-silica reaction, Summer, 24
 Ward, MA: *see* Gifford, PM, Langan, BW, and Ward, MA
 Weyers, RE, Brown, M, Al-Qadi, IL, and Henry, M: Rapid method for measuring the acid-soluble chloride content of powdered concrete samples, Summer, 3
 Willems, T: *see* Pistilli, MF and Willems, T



Cement, Concrete, and Aggregates

Subject Index

Volume 15, 1993

A

AASHTO T 277

Comparison of two methods for measuring the chloride ion permeability of concrete (Detwiler, RJ and Fapohunda, CA), Summer, 70

Accelerated curing

Use of fly ash in heat-cured concrete and the effect of post-curing storage regimes on strength, modulus of elasticity, and freezing-thawing durability (Gifford, PM, Langan, BW, and Ward, MA), Summer, 14

Acceptance

Importance of precision statements in developing performance standards for cement (Patzias, T), Winter, 124

Aggregate proportions

Aggregate mixtures for least-void content for use in polymer concrete (Kantha Rao, VVL and Krishnamoorthy, S), Winter, 97

Alkali-silica reaction (ASR)

Effect of three zeolite-containing natural pozzolanic materials on alkali-silica reaction (Wang, H and Gillott, JE), Summer, 24

Use of dynamic nondestructive test methods to monitor concrete deterioration due to alkali-silica reaction (Swamy, RN and Wan, WMR), Summer, 39

ASTM standards

European (EN) and World (ISO) standards—comparison with ASTM standards (Dutron, P), Winter, 145

ASTM test methods

Summary of the results of laboratory inspections conducted by the Cement and Concrete Reference Laboratory (Kolos, RM and Burns, PC), Winter, 174

Australian standards

New cement standards in Australia—its implication and further development (Guirguis, S), Winter, 170

B

Bias

Development of precision and bias statements for testing drilled cores in accordance with ASTM C 42 (Bollin, GE), Summer, 85

Blended cement

Blended cement according to ENV 197 and experiences in Germany (Schmidt, M, Harr, K, and Boing, R), Winter, 156

New cement standards in Australia—its implication and further development (Guirguis, S), Winter, 170

Board life

Mortar workability apparatus: a new ap-

proach (Tresouthick, SW, Dubovoy, VS, and Gajda, JW), Summer, 89

C

Cement

Cement strength and concrete strength—an apparition or a dichotomy? (Gaynor, RD), Winter, 135

Special features of cement standards in China (Sanduo, T), Winter, 165

Cement and Concrete Reference Laboratory

Summary of the results of laboratory inspections conducted by the Cement and Concrete Reference Laboratory (Kolos, RM and Burns, PC), Winter, 174

Center line average

Mortar workability apparatus: a new approach (Tresouthick, SW, Dubovoy, VS, and Gajda, JW), Summer, 89

China

Special features of cement standards in China (Sanduo, T), Winter, 165

Chloride

Comparison of two methods for measuring the chloride ion permeability of concrete (Detwiler, RJ and Fapohunda, CA), Summer, 70

Rapid method for measuring the acid-soluble chloride content of powdered concrete samples (Weyers, RE, Brown, M, Al-Qadi, IL, and Henry, M), Summer, 3

Coefficient of determination

Evaluation of the statistical significance of a regression and selection of the best regression using the coefficient of determination R_2 (Chanvillard, G, Jones, JP, and Aitcin, P-C), Summer, 31

Compressive strength

Cement strength and concrete strength—an apparition or a dichotomy? (Gaynor, RD), Winter, 135

Development of precision and bias statements for testing drilled cores in accordance with ASTM C 42 (Bollin, GE), Summer, 85

Evaluation of cylinder size and capping method in compression strength testing of concrete (Pistilli, MF and Willems, T), Summer, 59

Concrete

Cement strength and concrete strength—an apparition or a dichotomy? (Gaynor, RD), Winter, 135

Development of precision and bias statements for testing drilled cores in accordance with ASTM C 42 (Bollin, GE), Summer, 85

Effects of testing rate and age on ASTM C 1018 toughness parameters and their pre-

cision for steel fiber-reinforced concrete (Johnston, CD), Summer, 50

Evaluation of cylinder size and capping method in compression strength testing of concrete (Pistilli, MF and Willems, T), Summer, 59

Use of dynamic nondestructive test methods to monitor concrete deterioration due to alkali-silica reaction (Swamy, RN and Wan, WMR), Summer, 39

Use of fly ash in heat-cured concrete and the effect of post-curing storage regimes on strength, modulus of elasticity, and freezing-thawing durability (Gifford, PM, Langan, BW, and Ward, MA), Summer, 14

Concrete bridges

Rapid method for measuring the acid-soluble chloride content of powdered concrete samples (Weyers, RE, Brown, M, Al-Qadi, IL, and Henry, M), Summer, 3

Cores

Development of precision and bias statements for testing drilled cores in accordance with ASTM C 42 (Bollin, GE), Summer, 85

Corrosion

Comparison of two methods for measuring the chloride ion permeability of concrete (Detwiler, RJ and Fapohunda, CA), Summer, 70

Rapid method for measuring the acid-soluble chloride content of powdered concrete samples (Weyers, RE, Brown, M, Al-Qadi, IL, and Henry, M), Summer, 3

Cylinder size

Evaluation of cylinder size and capping method in compression strength testing of concrete (Pistilli, MF and Willems, T), Summer, 59

D

Durability

Observations on rubberized concrete behavior (Eldin, NN and Senouci, AB), Summer, 74

Use of dynamic nondestructive test methods to monitor concrete deterioration due to alkali-silica reaction (Swamy, RN and Wan, WMR), Summer, 39

E

European standards

Blended cement according to ENV 197 and experiences in Germany (Schmidt, M, Harr, K, and Boing, R), Winter, 156

European (EN) and World (ISO) standards—comparison with ASTM standards (Dutron, P), Winter, 145

Importance of precision statements in developing performance standards for cement (Patzias, T), Winter, 124

Expansion

Effect of three zeolite-containing natural pozzolanic materials on alkali-silica reaction (Wang, H and Gillott, JE), Summer, 24

F

Fiber-reinforced

Effects of testing rate and age on ASTM C 1018 toughness parameters and their precision for steel fiber-reinforced concrete (Johnston, CD), Summer, 50

First-crack strength

Effects of testing rate and age on ASTM C 1018 toughness parameters and their precision for steel fiber-reinforced concrete (Johnston, CD), Summer, 50

Fly ash

Use of fly ash in heat-cured concrete and the effect of post-curing storage regimes on strength, modulus of elasticity, and freezing-thawing durability (Gifford, PM, Langgan, BW, and Ward, MA), Summer, 14

Fresh mortar

Mortar workability apparatus: a new approach (Tresouthick, SW, Dubovoy, VS, and Gajda, JW), Summer, 89

G-L

Grinding surface ends

Evaluation of cylinder size and capping method in compression strength testing of concrete (Pistilli, MF and Willems, T), Summer, 59

Hydraulic cement

Why performance standards for hydraulic cement? (Gebhardt, RF), Winter, 119

Image analysis

Portland cement specifications: performance, prescription, and prediction (Hill, ED, Jr. and Frohnsdorff, G), Winter, 109

Least-void content

Aggregate mixtures for least-void content for use in polymer concrete (Kantha Rao, VVL and Krishnamoorthy, S), Winter, 97

M

Materials science

Portland cement specifications: performance, prescription, and prediction (Hill, ED, Jr. and Frohnsdorff, G), Winter, 109

Mathematical modeling

Portland cement specifications: performance, prescription, and prediction (Hill, ED, Jr. and Frohnsdorff, G), Winter, 109

Mortar cubes

Analysis of a Canadian database of mortar-cube strengths: the move toward a Canadian performance standard for portland cement (Day, RL), Winter, 128

Mortars

Cement strength and concrete strength—an apparition or a dichotomy? (Gaynor, RD), Winter, 135

O

On-site inspections

Summary of the results of laboratory inspections conducted by the Cement and Concrete Reference Laboratory (Kolos, RM and Burns, PC), Winter, 174

P

Particle interference

Aggregate mixtures for least-void content for use in polymer concrete (Kantha Rao, VVL and Krishnamoorthy, S), Winter, 97

Performance standards

Importance of precision statements in developing performance standards for cement (Patzias, T), Winter, 124

New cement standards in Australia—its implication and further development (Guirguis, S), Winter, 170

Why performance standards for hydraulic cement? (Gebhardt, RF), Winter, 119

Permeability

Comparison of two methods for measuring the chloride ion permeability of concrete (Detwiler, RJ and Fapohunda, CA), Summer, 70

Portland cement

Analysis of a Canadian database of mortar-cube strengths: the move toward a Canadian performance standard for portland cement (Day, RL), Winter, 128

Blended cement according to ENV 197 and experiences in Germany (Schmidt, M, Harr, K, and Boing, R), Winter, 156

Importance of precision statements in developing performance standards for cement (Patzias, T), Winter, 124

International development of standards for cements (Jackson, PJ and Lawton, JM), Winter, 149

New cement standards in Australia—its implication and further development (Guirguis, S), Winter, 170

Portland cement specifications: performance, prescription, and prediction (Hill, ED, Jr. and Frohnsdorff, G), Winter, 109

Precast

Use of fly ash in heat-cured concrete and the effect of post-curing storage regimes on strength, modulus of elasticity, and freezing-thawing durability (Gifford, PM, Langgan, BW, and Ward, MA), Summer, 14

R

Regression

Evaluation of the statistical significance of a regression and selection of the best regression using the coefficient of determination

R_2 (Chanvillard, G, Jones, JP, and Aitcin, P-C), Summer, 31

S

Slump

Observations on rubberized concrete behavior (Eldin, NN and Senouci, AB), Summer, 74

Specifications

International development of standards for cements (Jackson, PJ and Lawton, JM), Winter, 149

Standardization trends

Why performance standards for hydraulic cement? (Gebhardt, RF), Winter, 119

Standards

European (EN) and World (ISO) standards—comparison with ASTM standards (Dutrone, P), Winter, 145

International development of standards for cements (Jackson, PJ and Lawton, JM), Winter, 149

Introduction to symposium on current trends in cement standards (Struble, LJ), Winter, 108

Special features of cement standards in China (Sanduo, T), Winter, 165

Statistical analysis

Analysis of a Canadian database of mortar-cube strengths: the move toward a Canadian performance standard for portland cement (Day, RL), Winter, 128

Evaluation of the statistical significance of a regression and selection of the best regression using the coefficient of determination R_2 (Chanvillard, G, Jones, JP, and Aitcin, P-C), Summer, 31

Steel fibers

Effects of testing rate and age on ASTM C 1018 toughness parameters and their precision for steel fiber-reinforced concrete (Johnston, CD), Summer, 50

Strength

Analysis of a Canadian database of mortar-cube strengths: the move toward a Canadian performance standard for portland cement (Day, RL), Winter, 128

Swelling

Observations on rubberized concrete behavior (Eldin, NN and Senouci, AB), Summer, 74

W-Z

Workability

Observations on rubberized concrete behavior (Eldin, NN and Senouci, AB), Summer, 74

World standards

European (EN) and World (ISO) standards—comparison with ASTM standards (Dutrone, P), Winter, 145

Zeolite

Effect of three zeolite-containing natural pozzolanic materials on alkali-silica reaction (Wang, H and Gillott, JE), Summer, 24

